

Baler HSM, type HL 3521 S, 32 t pressing force, yoc 2007, only 964 operating hours, drive power 22 kW, with 6-fold horizontal tying, manual



Technical data baler:

Manufacturer HSM

Type HL 3521 S

Year of manufacture 2007

Operating hours 964 hours, as of July 24

Press force 32 tonnes

Specific pressing force 40 tonnes

Dimensions of feed chute 740 x 2,100 mm (w x l)

Filling volume 1.86 m³

Theoretical cycle time 44 seconds

Theor. throughput 138 m³/hour

Bale dimensions 800 x 1000 x 1200 mm (w x h x l)

Drive power 22 kW

6-fold horizontal tying, manual, with quicklings

Bale weights with a bale length of approx. 1.2 m up to 600 kg, depending on material

PLC control Siemens S7-200

Siemens SIMATIC control panel

Effective transport dimensions excl. baler 8,100 x 1,903 x 2,493 mm (L x W x H)

Transport weight of baler 7,100 kg

Comments:

The documentation (Manual, CE-declaration, electr./hydr.-drawings), are completely available. Inspections are possible after agreement. We will not assume liability for the given technical data and possible errors.

Baler HSM, type HL 3521 S, 32 t pressing force, yoc 2007, only 964 operating hours, drive power 22 kW, with 6-fold horizontal tying, manual



Baler HSM, type HL 3521 S, 32 t pressing force, yoc 2007, only 964 operating hours, drive power 22 kW, with 6-fold horizontal tying, manual



Baler HSM, type HL 3521 S, 32 t pressing force, yoc 2007, only 964 operating hours, drive power 22 kW, with 6-fold horizontal tying, manual

